

POLY DIESEL TANKS



THE PORTABLE DIESEL
REFUELLING SOLUTION.
100 – 1200 LITRES

AUSTRALIA
nqpetro
FUEL EQUIPMENT SPECIALISTS

PORTABLE POLY DIESEL TANKS

The Nqpetro Diesel Refuelling Unit stands as a versatile solution tailored to diverse needs, boasting an array of sizes and pump options to match any task at hand. These units are compact, efficient and guaranteed tamper proof!



Compatibility:



DIESEL

DURABLE & PORTABLE DIESEL STORAGE



Nqpetro's range of poly diesel fuel tanks, proudly built in Australia, offers sizes from 100L to 1200L, making them ideal for a variety of applications including workshops, machinery, and transport. Whether for use on farms, at construction sites, or in remote locations, these tanks are designed for ease of mobility and can be mounted on utes or transported as required.



Constructed with UV-stabilised polyethylene for exceptional durability against Australia's tough weather, each tank features pumps ranging from a 40L/min DieselFlo to a 60L/min Fluid model. With robust features such as a heavy-duty auto shut-off nozzle, tamper-proof design, and diesel-grade hose, these tanks ensure safety and reliability. Available in a wide range of capacities, Nqpetro's poly tanks are equipped to handle diverse fueling needs with efficiency and ease.



Enhance Your Fuel Efficiency

Optimise your poly tank's functionality with our **Metered Nozzle & Filtration package**, designed to maintain diesel purity and monitor fuel consumption accurately.

This upgrade package includes:

- **120lpm Auto Shut-off Metered Diesel Nozzle:** Ensures precise fuel dispensing and features an automatic shutoff to prevent overfilling.
- **Wix 24003 Fuel Filter:** Offers superior filtration to maintain clean diesel and promote smooth engine operation.



PORTABLE POLY DIESEL TANKS

STANDARD FEATURES

- Diesel Grade Tank:** UV stabilised polyethylene, ranging from 100L to 1200L.
- Pump Capacity:** 40L/min - 60L/min.
- Weatherproof Cover:** Pump cover to protect against elements.
- Diesel Hose:** 4m x 20mm - 6m x 25mm diesel grade.
- Auto Shut-Off Nozzle:** Heavy duty for precise fuelling.
- Nozzle Holder:** Diesel gun holder bracket.
- Tank Filler:** 2" filler and cap.
- Battery Cables:** 4m length for easy connectivity.



Padlockable Cover
Tamper proof & theft protection



Spill & Dust Proof Breather
for clean fuel and environmental damage prevention



Secure Mounting
Moulded grooves for strap mounting and fixing locations under tank for direct mounting

SPECIFICATIONS *

POLY TANKS

TANK Litres	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
100L	100L Compact Diesel with 4m x 20mm hose	40L/min DieselFlo	800 L x 680 W x 465 H	28kg
200L	200L Compact Diesel with 4m x 20mm hose	40L/min DieselFlo	800 L x 680 W x 710 H	34kg
300L	300L Diesel with 4m x 20mm hose	40L/min DieselFlo	1290 L x 600 W x 770 H	40kg
400L	400L Compact Diesel with 6m x 20mm hose	45L/min Fluid	1150L x 820 W x 780 H	46kg
600L	600L Diesel with 6m x 25mm hose	60L/min Fluid	1700 L x 880 W x 740 H	68kg
800L	800L Diesel with 6m x 25mm hose	60L/min Fluid	1700 L x 1000 W x 860 H	85kg
1000L	1000L Diesel with 6m x 25mm hose	60L/min Fluid	1700 L x 1000 W x 1025 H	91kg
1200L	1000L Diesel with 6m x 25mm hose	60L/min Fluid	1700 L x 1000 W x 1190 H	101kg



100L



300L



600L



1200L



Head Office - Cairns
40 Ponzo St
Woree, QLD 4868
Ph (07) 4054 5100

QLD Office - Brisbane
3-5 Mackie Way
Brendale, QLD 4500
Ph (07) 3890 4712

WA Office - Perth
25 Barley Place
Canning vale, WA, 6155
Ph (08) 9434 4449

VIC Office - Melbourne
177 Radnor Drive
Deer Park, VIC 3023
Ph 1800 451 770

connect online nqpetro.com.au

Follow us on LinkedIn