

WASTE OIL TANKS



THE SELF-BUNDED
WASTE OIL STORAGE SOLUTION
1,000 – 10,000 LITRES

nqpetro
AUSTRALIA
FUEL EQUIPMENT SPECIALISTS

Waste Oil BLOC TANKS

Designed for the unique demands of waste oil management, our Waste Oil Tanks provide a robust, compliant, and environmentally safe storage solution. These tanks merge F.E.S. Tanks' proven design with features to enhance safety, compliance, and operational efficiency.


1000L - 2500L - 4500L - 6000L - 10,000L



Design and Setup

The FES BLOC Tank range features a freestanding, self-bunded design for comprehensive 360° inspection and maintenance, backed by double-wall construction for enhanced safety. These units are finished with a curved rooftop and a high-grade paint coating for superior durability.

Each tank is equipped with an **overflow alarm**, providing a ready-to-go solution that simplifies installation and minimises the need for extensive site preparation.



Drainage and Safety Features

Nqpetro provides two tailored drainage options to optimise waste oil collection:

- **Standard Drainage:** Includes an aluminium drain tray insert beneath the lid for efficient containment.
- **Premium Drainage:** Features an extra-large aluminium tray with splashback protection, high-level crash grates, and a low-level waste oil sieve filter for superior safety and functionality.

Each tank also comes equipped with an overflow alarm, ensuring additional safety by preventing spills and overflow incidents.

Versatile and Transportable Storage Solution

Designed for both indoor and outdoor use, our Waste Oil Bloc Tanks are flexible and reliable for storing waste oil. Their robust design includes forklift pockets and certified lifting points for easy transport. Each tank also features a **2" Male Camlock suction point** with a 2" Dust Cap, making them versatile and suitable for various industry settings. An optional lockbox is available for added safety, tamper resistance, and controlled access.





- Self-bunded tank** construction features a 5mm primary steel tank and a 3mm secondary tank, with the BLOC 10000 model having a 5mm secondary tank.
- Internally baffled** to minimise content movement during relocation.
- Accessible Manway:** Removable for easy internal maintenance and cleaning.
- Sectional cut-outs** for hoses or pipework, catering to external requirements like generators.
- Curved Roof:** Designed for efficient water drainage.
- Statutory Signage:** Provided with all necessary signs.
- Durable Paint Finish:** 250-300 Micron thickness in 'WHITE' as standard, with other colours available.
- Transport-Friendly:** Mobile and modular design enhances transportation ease.
- Forklift pockets** and certified tie-down/lifting points at each corner for BLOC 1000 - 6000 models.
- Fittings:** Includes aluminium gauged dipsticks, a galvanised updraft vent breather system, and multiple port fittings.

BLOC TANK SPECIFICATIONS

Dimensions and volumes are nominal only.
Alternative capacities available upon request.


MODEL	SFL Litres	CAPACITY Litres	LENGTH mm	WIDTH mm	HEIGHT mm	TARE kg	BAFFLED
BLOC 1000	1,000	1,160	1,100	1,864	1,309	870	YES
BLOC 2500	2,500	2,684	2,274	1,674	1,309	1,280	YES
BLOC 4500	4,500	4,800	2,774	2,274	1,309	1,790	YES
BLOC 6000	6,000	6,200	3,574	2,274	1,309	2,180	YES
BLOC 10000	10,000	11,000	6,058	2,438	1,295	4,000	YES

BLOC TANKS



MOBILE AND MODULAR

- BLOC 1000 – 6000: Forklift pockets, certified tie down/lifting points at each corner.
- BLOC 10000: ISO corner castings and skid tray base for tilt tray or swing lift loading.
- Tanks can be stacked 4 high empty, 2 high full.



EXTERIOR OF TANK

- 1 x 2" Interstitial Dip / Vent
- 1 x 2" Suction Port (BSP)
- 1 x 2" Dip Point
- 2 x 4" Submersible Pump Provision (BSP & NPT)
- 1 x 2" Free Vent Port

Self-Bunded BLOC TANKS

Shape Your Solutions with Nqpetro Expert Custom Fabrication




In-house Fabrication

Comprehensive engineering and fabrication services for hydrocarbon storage and pumping solutions. From concept to implementation, our expert team delivers customised, efficient, and safety-optimised systems with in-house fabrication capabilities.



Custom Pump Packs

Tailor your storage solutions with our custom pump packs designed for hydrocarbon management. Engineered for efficiency and compatibility, our pump packs can be customized to meet specific operational requirements, ensuring optimal performance and reliability in any setup.



SmartFill Fuel Management System

Enhance operational efficiency with the SmartFill Management System, an advanced fuel management solution that provides precise monitoring and reporting capabilities. Ideal for streamlining inventory and usage tracking, our system ensures accuracy and security in fuel management.



Solar Powered Tanks

Our solar-powered tanks are designed for efficient operation, free from external power sources. These tanks offer a cost-effective, environmentally friendly option, reducing energy costs and minimizing environmental impact, all while ensuring dependable hydrocarbon storage and dispensing.



All BLOC Tanks carry Australian Standards and International certification



Head Office - Cairns
40 Ponzio St
Woree, QLD 4868
Ph (07) 4054 5100

QLD Office - Brisbane
3-5 Mackie Way
Brendale, QLD 4500
Ph (07) 3890 4712

WA Office - Perth
25 Barley Place
Canning vale, WA, 6155
Ph (08) 9434 4449

VIC Office - Melbourne
177 Radnor Drive
Deer Park, VIC 3023
Ph 1800 451 770

connect online nqpetro.com.au

Follow us on LinkedIn