

IRON-75 230 VAC

Self-suction pump for diesel transfer

75
l/min

230
VAC

0.5
kW

- ✓ Eccentric with self-adjusting blades
- ✓ With recirculation bypass
- ✓ Thermal protector and rust treatment



IRON-75 230 VAC

Self-suction pump for diesel transfer

GESPASA

75
l/min

230
VAC

0.5
kW

 DIESEL

 BIODIESEL

IRON-75 230 VAC	00350-CF00000
IRON-75 230 VAC + 1" automatic pump stop Kit	00350-CF00010
IRON-75 230 VAC · VITON · B100	00350-CF00100
IRON-75 230 VAC · VITON + 1" automatic pump stop Kit	00350-CF00101

Features

- › Self-suction - self-priming pump
- › Eccentric with self-adjusting blades
- › Rust treatment
- › Suitable for diesel transfer (ask for other liquids)
- › Agricultural, building, public work and industrial uses

Components


- › Recirculation bypass valve
- › Thermal protector
- › Self-ventilated motor
- › ON/OFF switch
- › Stainless steel filter of 350 µm (micron)
- › 3 m electric cable with homologated plug

Technical data

Free flow	75 l/min
Motor	0.5 kW 230 VCA · 50/60 Hz
Consumption	1.9-4.5 A
Operation	S1 continuous
Motor speed	3,000 rpm (50 Hz) · 3,600 rpm (60 Hz)
Protection	IP-55
Pressure	2.5 bar
Max. suction length	2.7 m
Priming pipe suction	5 m
Ambient temperature	-20 °C / +50 °C
Connection	F1" BSP threads and flanges

Flow curves

Pressure · NPSH (bar)



 8.5 kg
(approx.)

 225x146x185 mm
LxWxH (approx.)

 9.1 kg
(approx.)

 240x180x260 mm
LxWxH (approx.)

Optional

F1" aluminium flange kit	800003022
1" automatic pump stop Kit	004000000

Supply kit


Pump with volume meter

- › Kit composed of pump with volume meter. Electronic or mechanical meters available.
- › It is possible to assemble the kit in a base.

**Please, ask for more information about our kits.*

Automatic pump
stop kit





Product video
in our website

www.gespasa.es



Partida Horta d'Amunt s/n
25600 Balaguer (Lleida) · Spain

T +34 973 451 072
gespasa@gespasa.es



Ref. 20241203.V5

*Because of the constant innovations and development, TOT COMERCIAL SA reserves the right to modify their product specifications and publicity, without prior notification.

