MSDS SHEET – KOLOR KUT GASOLINE GAUGING PASTE

Document: MSDS No: PS310110

1: Identification of the Substance/Preparation and the Company Undertaking

Part Number/Trade Name	KOLOR KUT GASOLINE GAUGING PASTE
Product	Light pink Semi Solid Paste for level indicator in petroleum products and other hydrocarbons.
MSDS Number	PS310110
Manufacturer Name	KOLOR KUT PRODUCTS CO P.O. Box 5415
Street	7915 E ELM STREET
City	HOUSTON
State	TX
Country	US
Zip Code	77012
Emergency Phone	713-926-4780
Information Phone	713-926-4780

2: Hazards Identification

Most important hazards All ingredients are non hazardous

May cause mild skin irritation.

Route of Entry: Skin YES
Route of Entry: Ingestion YES
Route of Entry: Inhalation YES
Health Hazards - Acute and Chronic IF INGESTED, GIVE 2 GLASSES OF WATER. INDUCE VOMITING IMMEDIATELY
Carcinogenity: NTP NO
Carcinogenity: IARC NO
Carcinogenity: OSHA NO
Explanation of Carcinogenity NOT APPLICABLE
Symptoms of Overexposure IRRITATION AND BAD ODOR
Medical Cond. Aggravated by Exposure NONE KNOWN
Emergency/First Aid Procedures CONTROL CONTACT AND MAINTAIN AT A MINIMUM

3: Composition/Information on Ingredients

Ingredient # 01
Ingredient Name ALL INGREDIENTS ARE NON HAZARDOUS/ NO INGREDIENTS LISTED ON MFG MSDS
CAS Number 1005
Proprietary NO
Percent 0

4: First Aid Measures

Inhalation: Induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.

Skin contact: Wash off with soap and water.

Eye contact: Rinse immediately with plenty of water

Emergency/First Aid Procedures CONTROL CONTACT AND MAINTAIN AT A MINIMUM

5: Fire-Fighting Measures

Flash Point N/A
Flash Point Method N/A
Lower Explosion Limit N/A
Upper Explosion Limit N/A
Extinguishing Media N/A
Special Fire Fighting Procedures N/A
Unusual Fire/Explosion Hazards NONE

6: Accidental Release Measures

Personal precautions:	Avoid contact with skin, eyes and clothing.
Environmental precautions:	None.
Method of cleaning up:	Contain spill and wipe up, place in appropriate disposal container. Dispose as non hazardous waste.
Ventilation:	Not required.

7: Handling and Storage

Storage:	Keep in dry place at a temperature range 35 degree F to 115 degree F. Do not expose to high temperatures or water contamination, do not freeze (for preservation of product only).
Handling:	Avoid contact with skin, eyes and wear gloves (if desired).
Hygiene:	Be clean, after applying clean hands with soap and water.

8: Exposure Controls/Personal Protection

Personal protective equipment:	Wear protective glasses.
Respiratory protection:	None required.
Hand Protection:	If desired, not necessary
Skin and body protection:	None required.
Eye Protection:	Wear protective glasses.
Hygiene Measures:	Be clean, after applying clean hands with soap and water. Handle in accordance with good industrial hygiene and safety practice.

9: Physical and Chemical Properties

Hazard Storage Compatibility Code N1
NRC License Number N/R
Net Propellant Weight (Ammo) N/R
Appearance LIGHT PINK SEMISOLID
Boiling Point 212 F
Melting Point N/A
Vapour Pressure N/A
Vapour Density N/A
Specific Gravity 1.1
Decomposition Temperature N/K
Evaporation Rate NONE
Solubility in Water YES
Percent Volatiles by Volume 0.0
Chemical pH N/K
Corrosion Rate N/K
Container Pressure Code 1
Temperature Code 4
Product State Code S

10: Stability and Reactivity

Stability YES
Stability Conditions to Avoid NONE
Materials to Avoid OXIDIZING AGENTS AND ACIDS
Hazardous Decomposition Products NONE KNOWN
Hazardous Polymerization NO
Polymerization Conditions to Avoid WILL NOT OCCUR
LD50 - LD50 Mixture UNKNOWN

11: Toxicological Information

All products are non hazardous, May cause mild skin irritation

12: Ecological Information

No data is available on the product itself

13: Disposal Considerations

Waste from residues / unused products:	Dispose of in accordance with local regulations for non hazardous waste.

14: Transport Information:

All products are non hazardous, no labelling is required, flashpoint none

15: Regulatory Information

Labelling:	The product is classified as non hazardous, no labelling is required
Symbol:	None
R-phase:	None

16: Other Information

Sources of key data used to compile this datasheet:

U.S. department of Labor, Occupational Safety and Health Administration

(Non-Mandatory Form) Form approved OMB No: 1218-0072

Disclaimer of Liability: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

_____ End of Document